

Receiving Report

Date: 14/7/16

Batch No: M1a 9803

Supplier: Electro World

Dart P/O: 24963

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC18 Inspection ☐ N/A ☒
 Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

Production/Admin:
 Date _____
 Received/Costing _____
 Initial _____

Location

St263



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO24963**

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 1 of 2

Order From :
WESCO AIRCRAFT HARDWARE CORP
PO BOX 802020
SANTA CLARITA, CA 91380-2020
USA

VU-WES002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

PAID

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	661-775-7200	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	USD
Ship Via:	FedEx PI ppd	FOB	FCA - (Free Carrier)
Ship Acct:			

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	HL32PB5-8	Hi-Lok Pin	7/17/2014 Yes 7/17/2014		20.00 Each	\$12.00	\$240.00
Line Total:							\$240.00
2	71401-45	PROCUREMENT QUALITY CLAUSES	7/17/2014 No 7/17/2014		1.00	\$0.00	\$0.00
Procurement Quality Clauses A005 RIGHT OF ENTRY A012 CHEMICAL AND PHYSICAL TEST-REPORTS A016 PERSONNEL QUALIFICATION A026 CERTIFICATION OF MATERIAL CONFORMANCE A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS A040 NOTIFICATION OF QUALITY ESCAPE A041 QUALITY MANAGEMENT SYSTEM A042 DART NOTIFICATION BY SUPPLIER A043 RETENTION OF QUALITY DOCUMENTS							

Note:

7/11/2014



West Coast
AEROSPACE, INC.

220 WEST "E" STREET
WILMINGTON, CALIFORNIA 90744

TELEPHONE: (310) 518-0633
FACSIMILE: (310) 518-4071

PAGE: 1 of 1

QUALITY ASSURANCE AND RELIABILITY TEST REPORT

DATE: 05/15/2013

INVOICE NUMBER: 228991

CUSTOMER: WESCO AIRCRAFT HARDWARE CORP.

PO NO.: 1478323

QUANTITY
SHIPPED: 1500

PART NO.: HL32PB-5-8

VENDOR PART NO.: HL32PB-5-8

MATERIAL
PRODUCER: CARPENTER TECH

REV. NO.: 17

MATERIAL: 431 TURNED C

VENDOR MIL NO.: 001099

HEAT NO.: 24853

SPEC:

MELT: USA
TEST DATE: 07/30/2004

LOT SIZE: 12129

INSPECTION LOT NUMBER: 53377

DATE OF MANUFACTURE: 3/19/04

ULTIMATE TENSILE STRENGTH		DOUBLE SHEAR	TENSION FATIGUE LIFE		MIL ANALYSIS		METALLURGICAL EXAMINATION																											
POUNDS	LOCATION OF FAILURE	STRENGTH IN POUNDS	CYCLES	LOCATION OF FAILURE			SAMPLE SIZE: 10 MICRO EXAM SPEC: ACCEPT MACRO EXAM SPEC: ACCEPT H2: N/A ppm FINAL																											
3302	THREAD	5324	60000	N/F	Al	O	<table><tr><th colspan="4">HARDNESS TEST-ROCKWELL C SCALE</th></tr><tr><td>44</td><td>43</td><td>44</td><td>44</td></tr><tr><td>44</td><td>45</td><td>44</td><td>44</td></tr><tr><td>43</td><td>43</td><td>45</td><td>45</td></tr><tr><td>45</td><td>44</td><td>45</td><td>43</td></tr><tr><td>44</td><td>43</td><td>45</td><td>44</td></tr></table>				HARDNESS TEST-ROCKWELL C SCALE				44	43	44	44	44	45	44	44	43	43	45	45	45	44	45	43	44	43	45	44
HARDNESS TEST-ROCKWELL C SCALE																																		
44	43	44	44																															
44	45	44	44																															
43	43	45	45																															
45	44	45	43																															
44	43	45	44																															
3221	THREAD	5301	60000	N/F	B	P .021																												
3147	THREAD	5286	60000	N/F	Bi	Pb																												
3169	THREAD	5290	60000	N/F	C	R .16																												
3235	THREAD	5348	60000	N/F	Ca	S .010																												
3104	THREAD	5349	60000	N/F	Cb	Se																												
3153	THREAD	5338	60000	N/F	Co	Si .46																												
3182	THREAD	5350	60000	N/F	Cr	15.93																												
3162	THREAD	5370	60000	N/F	Cu	.06																												
3235	THREAD	5336	60000	N/F	Fe	Ta																												
					H	Tin																												
					Mg	V																												
					Mn	Y																												
					Mo	Zn																												
					N	Zr																												
					Ni	1.61																												
					Cb+Ta																													
			MIN REQ: 15000 AVG REQ: 30000 LOW LOAD: 88 HIGH LOAD: 880																															
MIN REQ: 2940 MAX REQ:		MIN REQ: 5280 MAX REQ:					HIGH READING: LOW READING: 42 SAMPLE SIZE: 20																											

OTHER SPECIFICATION (IF ANY)			YES
1 HEAT TREAT MIL-S-18732D			X
2 THREAD KOLL PER AS 8879C			X
3 FPI PER ASTM E 1417-99			X
4 AMS QQ-P-35 PASSIVATE/HS258L			X
5 2 HR SALT SPRAY PER ASTM-B117-97			X
6 CAD. PLATE AMS-QQ-P-416A TY.II CL.2			X
7 CETYL MIL-L-87132B TY.III/HS305T			X
8 MATERIAL ALLOY HAS BEEN VERIFIED			X
9 PART NAME: BOLT			X
PROCUREMENT SPEC: HS342 REV AG			
HEX SOCKET TORQUE TEST N/A IN-LBS	EMBRITTEMENT TEST PER NASM1312-5 SAMPLE SIZE: 4 LOAD: 2499 HOURS: 72		
DUCTILITY TEST: ACCEPT	COATING/PLATING THICKNESS: ACCEPT		
REMARKS/DEVIATIONS (IF ANY)			

CERTIFICATION OF CONFORMANCE

THE PARTS CONTAINED IN THIS SHIPMENT HAVE BEEN MANUFACTURED IN USA AND INSPECTED IN ACCORDANCE WITH THE APPLICABLE REQUIREMENTS OF THE DRAWINGS AND SPECIFICATIONS. INSPECTIONS RECORDS ARE ON FILE AND ARE AVAILABLE ON REQUEST OF THE PROCURING AGENCY.

PART THREADS ARE MANUFACTURED AND INSPECTED IN ACCORDANCE WITH AS8879 (MIL-S-8879 IF MANUFACTURED BEFORE 10/96).
MODIFIED PER APPLICABLE DRAWING.

MAGNETIC PARTICLE INSPECTION AND FLUORESCENT PENETRANT INSPECTION AS APPLICABLE HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE SPECIFICATION.

CADIUM PLATED PINS BAKED FOR HYDROGEN EMBRITTEMENT RELIEF FOR 23 HRS. MIN AT 375 DEGS F WITHIN 4 HRS. AFTER PLATING AND BEFORE SUPPLEMENTARY CHROMATE TREATMENT. (APPLICABLE TO 8740 MATERIAL ONLY)

THIS CERTIFICATION IS VALID ONLY IF
EMBOSSED BY MANUFACTURER OF AUTHORIZED
DISTRIBUTOR.

TSO-C148 Approved
THE PARTS CONTAINED IN THIS SHIPMENT HAVE BEEN MANUFACTURED AND INSPECTED IN ACCORDANCE WITH TSO-C148. THE CONDITIONS AND TESTS REQUIRED FOR TSO-C148 APPROVAL OF THIS ARTICLE ARE MINIMUM PERFORMANCE STANDARDS SET IN THE MANUFACTURER'S DESIGN. AIRCRAFT FASTENERS APPROVED UNDER THIS TSO ARE NOT NECESSARILY INTERCHANGEABLE WITH OTHER AIRCRAFT FASTENERS APPROVED UNDER THIS TSO. FASTENERS OF SIMILAR DIMENSIONAL PROPERTIES MAY HAVE WIDELY VARYING PERFORMANCE AND METALLURGICAL PROPERTIES. SUBSTITUTION OF PARTS MAY ONLY BE DONE IF ACCEPTABLE OR APPROVED BY THE ADMINISTRATOR.

ISO 9001, AS9100, AND AS9102 COMPLIANT. MATERIAL SUPPLIED ON THIS ORDER IS IN COMPLIANCE WITH DFAR 252.225-7009.

THE TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF WEST COAST AEROSPACE INC. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

WAC

165

APPROVED: Don Taros

DON TAROS, QC TECH

WCA2011NOV16/SL70B1